



Marson Industries Australia Pty Ltd.

ABN: 63 003 391 702 | ACN: 158 257 768

Marson Industries Australia P/L (Establish 1968), with over 50 years of manufacturing experience can fabricate a wide range of high quality Fumigation Sheet, Gas Proof (GP) Sheet, Tarpaulins, Covers & Liners.



Address: 1/87, Merola Way, Campbellfield Victoria. 3061 Australia
Phone: Australia: 1300 856 686 | International: +61 3 9357 6070
Fax: (03) 9357 6080 | Email: sales@marsonindustries.com.au
Web: www.marsonindustries.com.au



Marson Industries Australia Pty Ltd

ABN: 63 003 391 702 | ACN: 158 257 768

**Factory 1 / 87 Merola Way
CAMPBELLFIELD, VICTORIA. 3061
AUSTRALIA**

Telephone - Australia Wide: 1300 856 686

Telephone - International: +613 9357 6070

Facsimile - +613 9357 6080

Email: sales@marsonindustries.com.au

Web: www.marsonindustries.com.au



The Marson Industries Difference....

Marson Industries Australia P/L, with 50 years of manufacturing experience can fabricate a wide range of high quality Tarpaulins, Covers & Liners.

Our quality control ensures that all products meet our strict standards of manufacture. We utilise the latest technologies in plastic welding including, Hot air and Hot wedge welding, High Frequency welding and Industrial sewing machines to fabricate the highest quality coverings for a wide range of Industrial & Commercial sectors.

Marson uses only quality advanced materials from the world leaders in Industrial Textiles such as Titan PVC, Sioen PVC, Mehler, Ferrari PVC, Hiraoka, Wax Converters Canvas, Bradmill Canvas & Seaman Corp USA.

The Best Quality Tarps, Covers & Liners.... Guaranteed.

- ✦ 50 Years of Manufacturing Experience (Est 1968)
- ✦ Fast Delivery – Australia Wide & International Locations
- ✦ Roofing, Construction & Farming Tarps, Storage Covers
- ✦ High Quality Gas Proof Sheet
- ✦ Agricultural Fumigation Covers
- ✦ Custom Made & Stock Size Tarps, Covers & Liners
- ✦ Rip-Stop PVC Tarps, Industrial Poly Tarps & Mesh Covers
- ✦ Industrial Grade Tarps & Covers – Any Size You Require
- ✦ High Temperature & Chemical Resistant Tarps & Liners ✦ Strong Reliable Tarps – Guaranteed to Last

The Industries, Trades & Sectors We Work With:

- ✦ Construction, Roofing & Make-Safe Trades
- ✦ Engineering, Mining & Energy Sector
- ✦ Farming, Agricultural, Grain & Fumigation
- ✦ Transport & Freight
- ✦ Shipping, Aviation & Logistical Industries ✦ Recreation, Schools & Sporting Clubs
- ✦ ✦ Gas, Oil & Petro-Chemical Industries.



Related Product Specification

SPECIFICATION	RT500CFS	FUMATEX 610 PVC	FUMATHENE 260V	NF500SC
Yarn	Woven Polyester Scrim	Woven Polyester Scrim	UV-Stabilized HDPE	Woven Polyester Scrim
Yarn Size (denier)	1000 / 1000 D	1000 / 1300 D 1100 / 1430 Dtex	14 x 14 1300D	1000 / 1000 D
Fabric	Polyester	Polyester	Polyethylene	Polyester
Coating	Yes, PVC coating to both sides SEMI COATED INDUSTRIAL GRADE	Yes, PVC coating to both sides INDUSTRIAL GRADE	Yes, UV-Stabilized LDPE / Both sides of material	Yes, PVC coating to both sides LAMINATED GRADE
Finish – top and bottom side	Natural	Natural	Natural	Natural
Temperature range (°C)	-20 to +70	-20 to +70	-20 to +70	-20 to +70
Roll length (m)	50, Jumbo	50, Jumbo	50, Jumbo	50, Jumbo
Roll width (m)	2.05	2.05	2.05	2.05
Thickness (µ)	427µm	650 µm	140 µm	430 µm
Weight / Nominal fabric mass (gsm) (AS 2001.2.13)	506GSM	610GSM	267GSM - Nom	510GSM
Tensile strength-warp (N/50mm) AS2001.2.3	1450 N / 50mm	2851.8 N / 50mm	1303 N / 50mm	1470 N / 50mm
Elongation at warp (%) AS2001.2.3	22%	27%	30%	23%
Tensile strength-weft (N/50mm) AS2001.2.3	1275 N / 50mm	2793 N / 50mm	1283 N / 50mm	1327 N / 50mm
Elongation at weft (%) AS2001.2.3	22%	30%	35%	23%
Permeability (at 200Pa)	200 Pa O MI/cm 2/S	200 Pa O MI/cm 2/S	200 Pa O MI/cm 2/S	200 Pa O MI/cm 2/S
Size	ANY SIZE	ANY SIZE	ANY SIZE	ANY SIZE